Bietti crystalline dystrophy

Bietti crystalline dystrophy is a disorder in which numerous small, yellow or white crystal-like deposits of fatty (lipid) compounds accumulate in the light-sensitive tissue that lines the back of the eye (the retina). The deposits damage the retina, resulting in progressive vision loss.

People with Bietti crystalline dystrophy typically begin noticing vision problems in their teens or twenties. They experience a loss of sharp vision (reduction in visual acuity) and difficulty seeing in dim light (night blindness). They usually lose areas of vision (visual field loss), most often side (peripheral) vision. Color vision may also be impaired.

The vision problems may worsen at different rates in each eye, and the severity and progression of symptoms varies widely among affected individuals, even within the same family. However, most people with this condition become legally blind by their forties or fifties. Most affected individuals retain some degree of vision, usually in the center of the visual field, although it is typically blurry and cannot be corrected by glasses or contact lenses. Vision impairment that cannot be improved with corrective lenses is called low vision.

Frequency

Bietti crystalline dystrophy has been estimated to occur in 1 in 67,000 people. It is more common in people of East Asian descent, especially those of Chinese and Japanese background. Researchers suggest that Bietti crystalline dystrophy may be underdiagnosed because its symptoms are similar to those of other eye disorders that progressively damage the retina.

Genetic Changes

Bietti crystalline dystrophy is caused by mutations in the *CYP4V2* gene. This gene provides instructions for making a member of the cytochrome P450 family of enzymes. These enzymes are involved in the formation and breakdown of various molecules and chemicals within cells. The CYP4V2 enzyme is involved in a multi-step process called fatty acid oxidation in which lipids are broken down and converted into energy, but the enzyme's specific function is not well understood. *CYP4V2* gene mutations that cause Bietti crystalline dystrophy impair or eliminate the function of this enzyme and are believed to affect lipid breakdown. However, it is unknown how they lead to the specific signs and symptoms of Bietti crystalline dystrophy. For unknown reasons, the severity of the signs and symptoms differs significantly among individuals with the same *CYP4V2* gene mutation.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- BCD
- Bietti crystalline corneoretinal dystrophy
- Bietti crystalline retinopathy
- Bietti tapetoretinal degeneration with marginal corneal dystrophy

Diagnosis & Management

Genetic Testing

 Genetic Testing Registry: Bietti crystalline corneoretinal dystrophy https://www.ncbi.nlm.nih.gov/gtr/conditions/C1859486/

Other Diagnosis and Management Resources

 GeneReview: Bietti Crystalline Dystrophy https://www.ncbi.nlm.nih.gov/books/NBK91457

General Information from MedlinePlus

- Diagnostic Tests
 https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

Additional Information & Resources

MedlinePlus

 Health Topic: Retinal Disorders https://medlineplus.gov/retinaldisorders.html

Genetic and Rare Diseases Information Center

 Bietti crystalline corneoretinal dystrophy https://rarediseases.info.nih.gov/diseases/10050/bietti-crystalline-corneoretinaldystrophy

Additional NIH Resources

- National Eye Institute: Facts About Bietti's Crystalline Dystrophy https://nei.nih.gov/health/biettis/bietti
- National Eye Institute: Low Vision https://nei.nih.gov/lowvision/

Educational Resources

- American Academy of Ophthalmology: What is Low Vision? https://www.aao.org/eye-health/diseases/low-vision
- American Optometric Association: Low Vision http://www.aoa.org/patients-and-public/caring-for-your-vision/low-vision?sso=y
- Disease InfoSearch: Bietti Crystalline Corneoretinal Dystrophy http://www.diseaseinfosearch.org/Bietti+Crystalline+Corneoretinal+Dystrophy/825
- MalaCards: bietti crystalline corneoretinal dystrophy http://www.malacards.org/card/bietti_crystalline_corneoretinal_dystrophy
- Orphanet: Bietti crystalline dystrophy http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=41751
- The University of Arizona College of Medicine http://disorders.eyes.arizona.edu/handouts/bietti-crystalline-corneoretinal-dystrophy

Patient Support and Advocacy Resources

- American Foundation for the Blind: Low Vision http://www.visionaware.org/info/your-eye-condition/eye-health/low-vision/123
- Retina International http://www.retina-international.org/

GeneReviews

 Bietti Crystalline Dystrophy https://www.ncbi.nlm.nih.gov/books/NBK91457

ClinicalTrials.gov

ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22Bietti+crystalline+dystrophy%22

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28bietti+crystalline+dystrophy %5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+% 22last+3600+days%22%5Bdp%5D

OMIM

 BIETTI CRYSTALLINE CORNEORETINAL DYSTROPHY http://omim.org/entry/210370

Sources for This Summary

- Li A, Jiao X, Munier FL, Schorderet DF, Yao W, Iwata F, Hayakawa M, Kanai A, Shy Chen M, Alan Lewis R, Heckenlively J, Weleber RG, Traboulsi EI, Zhang Q, Xiao X, Kaiser-Kupfer M, Sergeev YV, Hejtmancik JF. Bietti crystalline corneoretinal dystrophy is caused by mutations in the novel gene CYP4V2. Am J Hum Genet. 2004 May;74(5):817-26. Epub 2004 Mar 23. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/15042513
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1181977/
- Mamatha G, Umashankar V, Kasinathan N, Krishnan T, Sathyabaarathi R, Karthiyayini T, Amali J, Rao C, Madhavan J. Molecular screening of the CYP4V2 gene in Bietti crystalline dystrophy that is associated with choroidal neovascularization. Mol Vis. 2011;17:1970-7. Epub 2011 Jul 20. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21850171
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3154135/
- Mansour AM, Uwaydat SH, Chan CC. Long-term follow-up in Bietti crystalline dystrophy. Eur J Ophthalmol. 2007 Jul-Aug;17(4):680-2.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17671952
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2507722/
- Rossi S, Testa F, Li A, Iorio VD, Zhang J, Gesualdo C, Corte MD, Chan CC, Fielding Hejtmancik J, Simonelli F. An atypical form of Bietti crystalline dystrophy. Ophthalmic Genet. 2011 Jun;32(2): 118-21. doi: 10.3109/13816810.2011.559653. Epub 2011 Mar 8.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21385027
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3155699/
- Xiao X, Mai G, Li S, Guo X, Zhang Q. Identification of CYP4V2 mutation in 21 families and overview of mutation spectrum in Bietti crystalline corneoretinal dystrophy. Biochem Biophys Res Commun. 2011 Jun 3;409(2):181-6. doi: 10.1016/j.bbrc.2011.04.112. Epub 2011 May 1. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/21565171

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/bietti-crystalline-dystrophy

Reviewed: November 2012 Published: March 21, 2017 Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services